
A SYSTEMATIC REVIEW OF MANUAL THERAPY MODALITIES AND ANXIETY

Kayla L West, BS

OMS-III Rocky Vista University

Teodor Huzij, DO FACN

Medical Director, Trinity Institute

OMED Conference September 2024

DISCLOSURES

- Presentors have no competing interests to declare and no sources of financial or non-financial support contributing to the conduct of this review
 - Presentors have no ethical or legal declarations to declare
-

OBJECTIVES


1. Discuss results found after a Systematic Review of Literature on Manual Therapy and Anxiety
 2. Evaluate the Effectiveness of Various Manual Therapy Modalities for Anxiety Management
 3. Establish Consensus Recommendations for the Use of Manual Therapy in Clinical Practice
-

OSTEOPATHY

OSTEOPATHIC MANIPULATIVE TREATMENT:

The therapeutic application of manually guided forces by an osteopathic physician (U.S. usage) to improve physiologic function and/or support homeostasis that has been altered by somatic dysfunction⁴⁴

OSTEOPATHIC TENET:



Sleep

Restless

Anxiety

Disturbance

WORRY

53,728,523 people

Irritable

Fatigue

Poor

Muscle Tension

Concentration




1, 2

ANXIETY'S IMPACT ON THE BODY

1. LOW BACK PAIN
2. OSTEOARTHRITIS
3. LOWER PAIN THRESHOLD
4. ALTERNATIVE BRAINSTEM ACTIVITY

FACILITATION:

THE MAINTENANCE OF NEURONS IN A STATE OF PARTIAL EXCITATION SO THAT LESS STIMULATION IS NEEDED TO ACTIVATE THEM AND TRIGGER NERVE IMPULSES



TREATMENT FOR ANXIETY



LITERATURE REVIEW



Kayla L. West*, BS and Teodor Huzij, DO

A systematic review of manual therapy modalities and anxiety

<https://doi.org/10.1515/jom-2024-0001>
Received January 9, 2024; accepted April 22, 2024;
published online June 24, 2024

Abstract

Context: Anxiety disorders have a far-reaching impact on society, with profound implications on both mental and physical health. In response, there is growing interest in manual therapy modalities, with emerging research suggesting their potential to alleviate related symptoms.

Objectives: To establish a consensus regarding manual therapy modalities for addressing anxiety symptoms, a systematic review of current literature was conducted.

Methods: A literature search was conducted between May and August 2023, utilizing a systematic search on both PubMed and Google Scholar, adhering to the defined inclusion criteria. In addition, information was gathered utilizing the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines. Both authors (KLW and TH) conducted the literature review. The inclusion criteria include articles written in English, peer-reviewed, anxiety conditions documented, and manual therapy delivered by a respectfully qualified professional. Manual therapy modalities include massage therapy, osteopathic manipulative treatment (OMT), foot reflexology, acupressure, manual therapy, healing touch, therapeutic touch, and gentle touch. After initial data collection, both researchers independently screened articles utilizing two metrics: a level of evidence (LOE) table and a screening criterion incorporating unique elements from the search process. The quality of the included articles was assessed utilizing Strength of Recommendation Taxonomy (SORT). When reviewer discrepancies arose, authors reread full-text studies and discussed the inclusion and exclusion criteria to achieve consensus.

Results: The data searches identified 8,979 articles, with 239 articles remaining after duplicates and nonapplicable articles were removed. A total of 42 articles met the inclusion criteria, with only 40 articles able to be obtained for full-article review. After full review and the exclusion of articles with invalid author conclusions, meta-analysis, or systematic reviews, 34 articles were included in the review. All articles received an LOE rating of 2 or better and aligned with our specific screening criteria. Based on SORT, each modality was assigned a "B" rating. Among the included articles, n=27 demonstrated statistical significance in favor of manual therapy modalities as an anxiety treatment. The positive results for the aforementioned manual therapies on anxiety symptom improvement are shown: 15/18 (83%) massage therapy, 2/6 (33%) OMT, 5/5 (100%) foot reflexology, 1/1 (100%) acupressure, 1/1 (100%) manual therapy, 0/2 (0%) healing touch, 1/1 (100%) therapeutic touch, and 1/1 (100%) gentle touch.

Conclusions: A pattern emerged, wherein individuals receiving manual therapy interventions displayed a statistically significant reduction in anxiety intensity. Considering the positive results, manual therapy should be considered an effective strategy for anxiety management.

Keywords: anxiety; manual therapy; osteopathic manipulative treatment/technique; systematic review

Anxiety is often a natural part of the human experience, often serving as a protective mechanism in response to potential threats. However, when symptoms become chronic, disproportionate, or uncontrollable, anxiety can escalate into a clinical disorder. An estimated one in four adults in the United States have signs and symptoms that qualify as an anxiety disorder [1]. These estimates underscore the widespread nature of this mental health disorder. According to the Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition, Text Revision (DSM-5-TR), anxiety disorders vary in presenting symptoms and may include excessive worry, panic attacks, restlessness, fatigue, difficulty concentrating, irritability, muscle tension, and sleep disturbances [2].

Beyond these distressing psychological and emotional disturbances, the sequelae of anxiety extend into the realm of physical health. Research has pointed to a correlation

*Corresponding author: Kayla L. West, BS, College of Osteopathic Medicine, Rocky Vista University, 8401 S. Chambers Road, Englewood, CO 80112-3276, USA. E-mail: westkayla9518@gmail.com
Teodor Huzij, DO, Department of Osteopathic Principles and Practices, Rocky Vista University, Englewood, CO, USA




SEARCH STRATEGY

PubMed and Google Scholar for published reports/studies

“Manipulation OR musculoskeletal manipulations OR manual medicine OR chiropractic OR osteopathic OR osteopathy OR manipulative OR spinal manipulation OR cranial manipulation OR massage OR craniosacral OR therapeutic touch OR osteopathic manipulative medicine (OMM) OR osteopathic manipulative treatment (OMT) AND anxiety OR generalized anxiety disorder OR obsessive compulsive disorder OR panic disorder OR social anxiety disorder OR trait anxiety”

Included articles published between 1951 to June 2023





QUALITY ASSESSMENT

Level of Evidence 1	High-quality randomized controlled trial <ul style="list-style-type: none">• Concealed allocation• Blinding if possible• Intention-to-treat analysis• Adequate size• Adequate follow-up (>80%)
Level of Evidence 2	Low-quality randomized controlled trial <ul style="list-style-type: none">• No concealed allocation• No blinding if possible• No intention-to-treat analysis• No adequate size• No adequate follow-up (>80%)
Level of Evidence 3	Study based on opinion, bench research, consensus guideline, usual practice, clinical experience, or a case series

Strength of Recommendation A	Based on Consistent findings from at least two high-quality randomized controlled trials
Strength of Recommendation B	Based on Inconsistent findings from high-quality or findings only from low-quality randomized controlled trials
Strength of Recommendation C	Based on Study based on opinion, bench research, consensus guideline, usual practice, clinical experience, or a case series



RESULTS

Table 3: Anxiety outcomes and LOE by modality.

Modality	Anxiety reduction	LOE 1	LOE 2	LOE 3
Massage therapy	15/18 (83 %)	2/18	16/18	
OMT	2/6 (33 %)		6/6	
Foot reflexology	5/5 (100 %)		5/5	
Acupressure	1/1 (100 %)	1/1		
Manual therapy	1/2 (50 %)		2/2	
Healing touch	0/2 (0 %)		2/2	
Therapeutic touch	1/1 (100 %)		1/1	
Gentle touch	1/1 (100 %)		1/1	

LOE, level of evidence; OMT, osteopathic manipulative treatment.



MASSAGE THERAPY


- Consistent reduction in anxiety levels (15/18 articles-->83%)
- Safe, Cost-effective, and Easily learned modality
- Generalized Anxiety Disorder (GAD) in 4/18 studies limits applicability to this population (2/4-->50%)
- LOE 1: 2/18, LOE 2: 16/18, **SOR: B**

- **Strength: Greatest number of studies**
- **Limitation: High degree of variable training**




OMT

- Short-term anxiety reduction after a single session (2/6 articles-->33%)
- GAD focus in 1/6 studies³⁰
 - Study conducted at Clinic for Mood and Anxiety Disorders in Ontario
 - Significant reductions in total Hamilton Anxiety Rating Scale (HAM-A) scores after OMT ($p < 0.001$)
 - Defined as a 50% or greater reduction of anxiety symptoms
- LOE 2: 6/6, **SOR: B**
- **Strength: Anxiety reduction after just one session**
- **Limitation: Lack of substantial research supporting use in GAD**



FOOT REFLEXOLOGY


- Consistent reduction in anxiety levels (5/5 articles-->100%)
- 3/5 studies documented treatment on burn patients
 - Burn Study #1³³:
 - 36 patients enrolled
 - Foot reflexology w/ and w/o music therapy, compared to control group w/o therapy
 - Day 1: no change
 - Day 3: $p < 0.05$
 - Day 4: $p < 0.001$
- LOE 2: 5/5, **SOR: B**
- **Strength: 100% efficacy**
- **Limitation: Primarily discussed in burn patients, limits applicability**



ACUPRESSURE

- Reduction in anxiety symptoms (1/1 articles-->100%)
- Both P6 and LI4 acupressure points may effectively reduce may reduce anxiety³⁸
- Results limited by statistical power
- LOE 1: 1/1, **SOR: B**


- **Strength: Accessible, patient education, LOE 1**
- **Limitation: n=1**



MANUAL THERAPY

- Reduction in anxiety symptoms (1/2 articles-->50%)
- Study #1³⁹:
 - 44 patients with subacute and chronic neck pain
 - State-Trait Anxiety Inventory (STAI) scores significantly reduced in both groups
 - Maitland group STAI p=0.05
 - Mulligan group STAI p=0.05
 - Results limited by lack of control group
- Additional research required to determine efficacy
- LOE 2: 2/2, **SOR: B**

- **Strength: None**
- **Limitation: No control group, limits conclusion**



HEALING TOUCH


- No articles indicated reductions in anxiety (0/2-->0%)
- Not statistically significant reductions in anxiety
- Additional research required
- LOE 2: 2/2, **SOR: B**

- **Strength: None**
- **Limitation: No studies showing efficacy for anxiety**



THERAPEUTIC TOUCH

- Reduction in anxiety symptoms (1/1 articles-->100%)
- Article notes a potential to "enhance traditional anxiety treatments when utilized in a multimodal therapy"⁴¹
- LOE 2: 1/1: **SOR: B**
- **Strength: None**
- **Limitation: n=1**



GENTLE TOUCH

- Reduction in anxiety symptoms (1/1 articles-->100%)
- Study #1⁴²:
 - Study conducted at The Center for Complementary Care in the United Kingdom
 - 147 participants
 - 32 presented to the trial with a diagnosis of "anxiety"
 - Anxiety reduction after treatment ($p < 0.0004$)
- Even with significant results, more research needed to justify clinical application
- LOE 2: 1/1, **SOR: B**

- **Strength: Large sample size in included study**
- **Limitation: Patients without formal anxiety disorder**



ADDITIONAL OBSERVATIONS

- 6 studies on burns with majority improvement in anxiety symptoms (4/6-->67%)
 - Reduction in anxiety symptoms in patients with anxiety diagnoses
 - Massage (at 2 wks but not 6 wks)
 - OMT (Non-physician group significant, Physician group not significant)
-

SUMMARY

- Significant evidence suggesting efficacy of massage therapy and foot reflexology in anxiety symptom reduction
- More robust research, particularly on OMT, therapeutic touch, manual therapy, and acupressure needed
- **Clinical Significance: Multimodal approach for anxiety should be considered, to include massage therapy and foot reflexology.**



QUESTIONS?



REFERENCES

1. Kessler RC, Chiu WT, Demler O, Walters EE. Prevalence, Severity, and Comorbidity of 12-Month DSM-IV Disorders in the National Comorbidity Survey Replication. *Arch Gen Psychiatry*. 2005;62(6):617–627. doi:10.1001/archpsyc.62.6.617
2. American Psychiatric Association. Diagnostic and Statistical Manual of Mental Disorders. 5th ed., Text Revision. Washington, DC: American Psychiatric Association; 2022. doi:10.1176/appi.books.9780890425787.
3. Burston, J. J., Valdes, A. M., Woodhams, S. G., Mapp, P. I., Stocks, J., Watson, D. J. G., Gowler, P. R. W., Xu, L., Sagar, D. R., Fernandes, G., Frowd, N., Marshall, L., Zhang, W., Doherty, M., Walsh, D. A., & Chapman, V. (2019). The impact of anxiety on chronic musculoskeletal pain and the role of astrocyte activation. *Pain*, 160(3), 658–669. <https://doi.org/10.1097/j.pain.0000000000001445>
4. Littlejohn JM. Medicine in the Americas, 1610-1920. Kirksville, Mo.: Weekly Advocate Print; 1899. 121 p. English.
5. Dunn F. Osteopathic Concepts in Psychiatry. *JAOA*. 1950;49(7):354-357.
6. Abraham C, Sloan SNB, Coker C, et al. Osteopathic Manipulative Treatment as an Intervention to Reduce Stress, Anxiety, and Depression in First Responders: A Pilot Study. *Mo Med*. 2021;118(5):435-441
7. Miranda, Eneida. Osteopathic Manipulative Treatment in Patients with Anxiety and Depression: A Pilot Study. *The AAO Journal*. 2021;31(3):9-16. DOI: 10.53702/2375-5717-31.3.9.
8. American Osteopathic Association. Tenets of osteopathic medicine. American Osteopathic Association website. Published October 12, 2023. Accessed [insert date]. URL: <https://osteopathic.org/about/leadership/aoa-governance-documents/tenets-of-osteopathic-medicine/>
9. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *BMJ*. 2021;372:n71. doi:10.1136/bmj.n71.
10. Ebell, M. H., Siwek, J., Weiss, B. D., Woolf, S. H., Susman, J., Ewigman, B., & Bowman, M. (2004). Strength of recommendation taxonomy (SORT): a patient-centered approach to grading evidence in the medical literature. *American family physician*, 69(3), 548–556. <https://pubmed.ncbi.nlm.nih.gov/14971837/>
11. Li Z, Bauer B, Aaberg M, et al. Benefits of hand massage on anxiety in preoperative outpatient: A quasi-experimental study with pre- and post-tests. *Explore (NY)*. 2021;17(5):410-416. doi:10.1016/j.explore.2020.08.016
12. Castro-Sánchez AM, Matarán-Peñarocha GA, Granero-Molina J, Aguilera-Manrique G, Quesada-Rubio JM, Moreno-Lorenzo C. Benefits of massage-myofascial release therapy on pain, anxiety, quality of sleep, depression, and quality of life in patients with fibromyalgia. *Evid Based Complement Alternat Med*. 2011;2011:561753. doi:10.1155/2011/561753
13. Seyyed-Rasooli A, Salehi F, Mohammadpoorasl A, Goljaryan S, Seyyedi Z, Thomson B. Comparing the effects of aromatherapy massage and inhalation aromatherapy on anxiety and pain in burn patients: A single-blind randomized clinical trial. *Burns*. 2016;42(8):1774-1780. ISSN 0305-4179. doi:10.1016/j.burns.2016.06.014.
14. Alves da Silva T, Stripari Schujmann D, Yamada da Silveira LT, Caromano FA, Fu C. Effect of therapeutic Swedish massage on anxiety level and vital signs of Intensive Care Unit patients. *J Bodyw Mov Ther*. 2017;21(3):565-568. doi:10.1016/j.jbmt.2016.08.009
15. Wilkinson SM, Love SB, Westcombe AM, et al. Effectiveness of aromatherapy massage in the management of anxiety and depression in patients with cancer: a multicenter randomized controlled trial. *J Clin Oncol*. 2007;25(5):532-539. doi:10.1200/JCO.2006.08.9987
16. Kurebayashi LF, Turrini RN, Souza TP, Takiguchi RS, Kuba G, Nagumo MT. Massage and Reiki used to reduce stress and anxiety: Randomized Clinical Trial. *Rev Lat Am Enfermagem*. 2016;24:e2834. Published 2016 Nov 28. doi:10.1590/1518-8345.1614.2834
17. Field T, Morrow C, Valdeon C, Larson S, Kuhn C, Schanberg S. Massage reduces anxiety in child and adolescent psychiatric patients. *J Am Acad Child Adolesc Psychiatry*. 1992;31(1):125-131. doi:10.1097/00004583-199201000-00019
18. Braun LA, Stanguts C, Casanelia L, et al. Massage therapy for cardiac surgery patients--a randomized trial. *J Thorac Cardiovasc Surg*. 2012;144(6):1453-1459.e1. doi:10.1016/j.jtcvs.2012.04.027
19. Ahles TA, Tope DM, Pinkson B, et al. Massage therapy for patients undergoing autologous bone marrow transplantation. *J Pain Symptom Manage*. 1999;18(3):157-163. doi:10.1016/s0885-3924(99)00061-5
20. Diego MA, Field T, Sanders C, Hernandez-Reif M. Massage therapy of moderate and light pressure and vibrator effects on EEG and heart rate. *Int J Neurosci*. 2004;114(1):31-44. doi:10.1080/00207450490249446

21. Najafi Ghezalje T, Mohades Ardebili F, Rafii F, Manafi F. The Effect of Massage on Anticipatory Anxiety and Procedural Pain in Patients with Burn Injury. *World J Plast Surg.* 2017;6(1):40-47.
22. Jalalodini A, Nourian M, Saatchi K, Kavousi A, Ghaljeh M. The Effectiveness of Slow-Stroke Back Massage on Hospitalization Anxiety and Physiological Parameters in School-Age Children: A Randomized Clinical Trial Study. *Iran Red Crescent Med J.* 2016;18(11):e36567. Published 2016 Aug 8. doi:10.5812/ircmj.36567
23. Najafi Ghezalje T, Mohades Ardebili F, Rafii F. The effects of massage and music on pain, anxiety and relaxation in burn patients: Randomized controlled clinical trial. *Burns.* 2017;43(5):1034-1043. doi:10.1016/j.burns.2017.01.011
24. Staveski SL, Boulanger K, Erman L, et al. The Impact of Massage and Reading on Children's Pain and Anxiety After Cardiovascular Surgery: A Pilot Study. *Pediatr Crit Care Med.* 2018;19(8):725-732. doi:10.1097/PCC.0000000000001615
25. Rexilius SJ, Mundt C, Erickson Megel M, Agrawal S. Therapeutic effects of massage therapy and handling touch on caregivers of patients undergoing autologous hematopoietic stem cell transplant. *Oncol Nurs Forum.* 2002;29(3):E35-E44. doi:10.1188/02.ONF.E35-E44
26. Post-White J, Kinney ME, Savik K, Gau JB, Wilcox C, Lerner I. Therapeutic massage and healing touch improve symptoms in cancer. *Integr Cancer Ther.* 2003;2(4):332-344. doi:10.1177/1534735403259064
27. Albert NM, Gillinov AM, Lytle BW, Feng J, Cwynar R, Blackstone EH. A randomized trial of massage therapy after heart surgery. *Heart Lung.* 2009;38(6):480-490. doi:10.1016/j.hrtlng.2009.03.001
28. Field T, Ironson G, Scafidi F, et al. Massage therapy reduces anxiety and enhances EEG pattern of alertness and math computations. *Int J Neurosci.* 1996;86(3-4):197-205. doi:10.3109/00207459608986710
29. Dugailly PM, Fassin S, Maroye L, Evers L, Klein P, Feipel V. Effect of a general osteopathic treatment on body satisfaction, global self-perception, and anxiety: A randomized trial in asymptomatic female students. *Int J Osteopath Med.* 2014;17(2):94-101. ISSN 1746-0689. doi:10.1016/j.ijosm.2013.08.001
30. Dixon L, Fotinos K, Sherifi E, et al. Effect of Osteopathic Manipulative Therapy on Generalized Anxiety Disorder. *J Am Osteopath Assoc.* 2020;120(3):133-143. doi:10.7556/jaoa.2020.026
31. Goering E, Herner M, Smith M, Galka M, Kammerzell S, Best K, Anderson P, Steinauer M. Effects of Compression of the 4th Ventricle (CV4) Treatment on Medical Student Anxiety. *The AAO Journal.* 2021;31:55-60. doi:10.53702/2375-5717-31.4.55
32. Florance BM, Frin G, Dainese R, et al. Osteopathy improves the severity of irritable bowel syndrome: a pilot randomized sham-controlled study. *Eur J Gastroenterol Hepatol.* 2012;24(8):944-949. doi:10.1097/MEG.0b013e3283543eb7
33. Blackburn L, Hill C, Lindsey AL, Sinnott LT, Thompson K, Quick A. Effect of Foot Reflexology and Aromatherapy on Anxiety and Pain During Brachytherapy for Cervical Cancer. *Oncol Nurs Forum.* 2021;48(3):265-276. doi:10.1188/21.ONF.265-276
34. Davodabady F, Naseri-Salahshour V, Sajadi M, Mohtarami A, Rafiei F. Randomized controlled trial of the foot reflexology on pain and anxiety severity during dressing change in burn patients. *Burns.* 2021;47(1):215-221. doi:10.1016/j.burns.2020.06.035
35. Alinia-Najjar R, Bagheri-Nesami M, Shorofi SA, Mousavinasab SN, Saatchi K. The effect of foot reflexology massage on burn-specific pain anxiety and sleep quality and quantity of patients hospitalized in the burn intensive care unit (ICU). *Burns.* 2020;46(8):1942-1951. doi:10.1016/j.burns.2020.04.035
36. Kabuk A, Şendir M, Filinte G. The effect of reflexology massage and passive music therapy intervention before burn dressing on pain, anxiety level and sleep quality. *Burns.* 2022;48(7):1743-1752. doi:10.1016/j.burns.2021.10.012
37. Stephenson NL, Weinrich SP, Tavakoli AS. The effects of foot reflexology on anxiety and pain in patients with breast and lung cancer. *Oncol Nurs Forum.* 2000;27(1):67-72.
38. Amini Rarani S, Rajai N, Sharififar S. Effects of acupressure at the P6 and LI4 points on the anxiety level of soldiers in the Iranian military. *BMJ Mil Health.* 2021;167(3):177-181. doi:10.1136/jramc-2019-001332

39. Alansari SM, Youssef EF, Shanb AA. Efficacy of manual therapy on psychological status and pain in patients with neck pain. A randomized clinical trial. *Saudi Med J*. 2021;42(1):82-90. doi:10.15537/smj.2021.1.25589
40. Davis L, Hanson B, Gilliam S. Pilot study of the effects of mixed light touch manual therapies on active duty soldiers with chronic post-traumatic stress disorder and injury to the head. *J Bodyw Mov Ther*. 2016;20(1):42-51. doi:10.1016/j.jbmt.2015.03.006
41. Lafreniere KD, Mutus B, Cameron S, et al. Effects of therapeutic touch on biochemical and mood indicators in women. *J Altern Complement Med*. 1999;5(4):367-370. doi:10.1089/acm.1999.5.367
42. Weze C, Leathard HL, Grange J, Tiplady P, Stevens G. Healing by gentle touch ameliorates stress and other symptoms in people suffering with mental health disorders or psychological stress. *Evid Based Complement Alternat Med*. 2007;4(1):115-123. doi:10.1093/ecam/nel052
43. Butcher JN, Taylor J, Fekken GC. Objective Personality Assessment with Adults. In: Bellack AS, Hersen M, editors. *Comprehensive Clinical Psychology*. Pergamon; 1998:403-429.
44. American Association of Colleges of Osteopathic Medicine. (2017). *Glossary of osteopathic terminology* (2017 ed.). <https://www.aacom.org/docs/default-source/publications/glossary2017.pdf>
45. West, K. L., & Huzij, T. (2024). A systematic review of manual therapy modalities and anxiety. *Journal of osteopathic medicine*, 10.1515/jom-2024-0001. Advance online publication. <https://doi.org/10.1515/jom-2024-0001>
46. PNGTree. (n.d.). PNGTree. <https://pngtree.com/element/downid=NTY2NDIxNw==&type=1&time=1720891207&token=OTJjNGMyMjM0YjZiYzA0ZjY2MDJkYWwRiNGZkM2EwNGE=&t=0>
47. Doe, J., & Smith, J. (2022). *Exploring osteopathic manual medicine*. *Journal of Osteopathic Medicine*, 122(4), 234-245. <https://doi.org/10.1515/jom-2022-0118>
48. SpaFinder. (n.d.). *Reflexology 101: Treatment and benefits*. SpaFinder. <https://www.spafinder.com/blog/healing/reflexology-101-treatment-benefits/>
49. Miuvo Shop. (n.d.). *Types of massage techniques in your massage chair*. Miuvo Shop. <https://miuvoshop.com.sg/types-of-massage-techniques-in-your-massage-chair/>
50. WikiHow. (n.d.). *How to do acupressure*. WikiHow. <https://www.wikihow.com/Do-Acupressure>